

LIFTING  
DEVICES



Model: UPB - BLP Ultra™ Personnel Basket

Features:

- Used for lifting personnel to perform work or for transporting personnel
- Expanded metal sides, toe plate, hand rail, layard pad eyes, solid non-slip floor
- Inward opening, self locking gate
- Detachable test weight included with forklift pockets
- Stainless Steel data plate with individual serial numbers with RFID tracking
- Painted Yellow with durable enamel paint
- Meets or exceeds ASME B30.23 “Personnel Lifting Systems”
- Proof Tested to 125%

Capacity (lbs.)	Model Number	Working Personnel Capacity	Transport Personnel Capacity	Length	Depth	Height	Test Weight (lbs.)
600	UPB-00030-030308	1	2	3'	3'	8'	750
1000	UPB-00050-040408	2	3	4'	4'	8'	1,250
1500	UPB-00075-060408	3	5	6'	4'	8'	1,875
2000	UPB-00100-080408	4	6	8'	4'	8'	2,500



Model: UPBS - BLP Ultra™ Personnel Basket, Single Point attachment

Features:

- Used for lifting personnel to perform work or for transporting personnel
- Expanded metal sides, toe plate, hand rail, layard pad eyes, solid non-slip floor
- Inward opening, self locking gate
- Detachable test weight included with forklift pockets
- Stainless Steel data plate with individual serial numbers with RFID tracking
- Painted Yellow with durable enamel paint
- Meets or exceeds ASME B30.23 “Personnel Lifting Systems”
- Proof Tested to 125%

Capacity (lbs.)	Model Number	Working Personnel Capacity	Transport Personnel Capacity	Length	Depth	Height	Test Weight (lbs.)
600	UPBS-00030-030308	1	2	3'	3'	8'	750
1000	UPBS-00050-040408	2	3	4'	4'	8'	1,250
1500	UPBS-00075-060408	3	5	6'	4'	8'	1,875
2000	UPBS-00100-080408	4	6	8'	4'	8'	2,500



Model: UPBR - BLP Ultra™ Personnel Basket, Round

Features:

- Used for lifting personnel to perform work or for transporting personnel
- Expanded metal sides, toe plate, hand rail, layard pad eyes, solid non-slip floor
- Detachable test weight included
- Stainless Steel data plate with individual serial numbers with RFID tracking
- Painted Yellow with durable enamel paint
- Meets or exceeds ASME B30.23 “Personnel Lifting Systems”
- Proof Tested to 125%

Capacity (lbs.)	Model Number	Working Personnel Capacity	Transport Personnel Capacity	Diameter	Height	Test Weight (lbs.)
300	UPBR-00015-18	1	1	18"	8'	375
300	UPBR-00015-24	1	1	24"	8'	375
600	UPBR-00030-36	1	2	36"	8'	750



Model: UPBE - BLP Ultra™ Personnel Basket, EVAC

Features:

- Used primarily in EVAC situations
- Inward opening gate one end, counter weighted vertical opening gate opposite end
- Vertical gate enables a stretcher or gurney to be loaded easily
- Expanded metal sides, toe plate, hand rail, layard pad eyes, solid non-slip floor
- Detachable test weight included
- Stainless Steel data plate with individual serial numbers with RFID tracking
- Painted Yellow with durable enamel paint
- Meets or exceeds ASME B30.23 “Personnel Lifting Systems”

Capacity (lbs.)	Model Number	Working Personnel Capacity	Transport Personnel Capacity	Length	Depth	Height	Test Weight (lbs.)
1000	UPBE-00100-080408	2	3	8'	4'	8'	1,250



Model: UWP - BLP Ultra™ Personnel Work Platform

Features:

- Used for lifting personnel with a forklift to perform work
- Inward opening self locking gate
- Expanded metal sides, toe plate, hand rail, layard pad eyes, solid non-slip floor
- Stainless Steel data plate with individual serial numbers with RFID tracking
- Painted Yellow with durable enamel paint
- Meets or exceeds ASME B30.23 “Personnel Lifting Systems”
- Proof Tested to 125%

